

US Serial No. 102790-129  
Page 2 of 10

In the Claims:

1.(original)        A textile treatment delivery system adapted to impart textile conditioning composition and fragrance to a fabric while it is being dried in a heated drier, the delivery system comprising at least one textile conditioning composition and at least one fragrance in a sublimable carrier substance.

2.(original)        A textile treatment delivery system according to claim 1, in which the sublimable substance has a sublimation temperature in the operating temperature range of the drier.

Claims 3 – 10 are cancelled.

11. (previously presented)        A textile treatment delivery system according to claim 1 in which the sublimable substance has a maximum molecular weight of 200.

12. (previously presented)        A textile treatment delivery system according to claim 1 in which the sublimable substance has a maximum molecular weight of 170.

13.( previously presented)        A textile treatment delivery system according to claim 1, in which the sublimable substance includes adamantane.

14. (previously presented)        A textile treatment delivery system according to claim 2, in which the sublimable substance includes adamantane.

15. (previously presented)        A textile treatment delivery system according to claim 1, in which the sublimable substance is a blend of at least two sublimable substances.

US Serial No. 102790-129  
Page 3 of 10

16.( currently amended)      A textile treatment delivery system according to claim 15, in which one of the sublimable substances is adamantane adamantine.

17.( currently amended)      A textile treatment delivery system according to claim 16, in which one of the sublimable substances is adamantane adamantine, which is present to the extent of at least 50% by weight of the total sublimable substance

18.( previously presented)      A textile treatment delivery system according to claim 1, in which the sublimable substance comprises not more than 60%wt. of the total weight of the textile treatment delivery system.

19.( previously presented)      A textile treatment delivery system according to claim 18, in which the sublimable substance comprises not more than 50%wt. of the total weight of the textile treatment delivery system.

20.( previously presented)      A textile treatment delivery system according to claim 19, in which the sublimable substance comprises not more than 40%wt. of the total weight of the textile treatment delivery system.

21.( previously presented)      A textile treatment delivery system according to claim 1, in which the textile conditioning composition is selected from fabric softener compositions, anti-static compositions, and compositions that provide simultaneous fabric softening and anti-static benefits to treated fabrics.

22.( previously presented)      A textile treatment delivery system according to claim 2, in which the textile conditioning composition is selected from fabric softener compositions, anti-static compositions, and compositions that provide simultaneous fabric softening and anti-static benefits to treated fabrics.

US Serial No. 102790-129  
Page 4 of 10

23.( previously presented)      A textile treatment delivery system according to claim 13, in which the textile conditioning composition is selected from fabric softener compositions, anti-static compositions, and compositions that provide simultaneous fabric softening and anti-static benefits to treated fabrics.

24.( previously presented)      A textile treatment delivery system according to claim 1, in which the the fragrance composition includes at least one aroma chemicals that has a low vapour pressure and at least one that has a high vapour pressure.

25.( previously presented)      A method of providing textile conditioning and fragrance to a fabric that is being dried in a heated drier, comprising the addition to the fabric in the drier of at least one textile conditioning composition and at least one fragrance in a sublimable carrier substance.

26.( previously presented)      The method according to claim 25 wherein the sublimable substance has a sublimation temperature in the operating temperature range of the drier.

27.( previously presented)      The method according to claim 26 wherein the sublimable substance comprises adamantane.